

THE CLEANEST GENERAL CATALOGUE EVER.

VACUUM CLEANERS

2019

PORTOTECNICA™

member of



IPC

IPC GROUP SUMMARY

#3 EUROPEAN MANUFACTURER OF PROFESSIONAL CLEANING EQUIPMENT

IPC knows every detail of cleaning equipment, with five reknown and dedicated factories, it is the undisputed Italian leader.

INNOVATIONS

INNOVATION THAT DELIVERS PRODUCTIVITY

IPC's large R&D team works as a group of experts in cleaning innovation to deliver tangible productivity benefits at a fast pace.

KEY VALUES

CLIENT-CENTRIC

IPC's tremendous depth of expertise and know-how are focused on delivering customer specific solutions, addressing effectively emerging cleaning needs together.

KEY VALUES

COMMITTED TO SUSTAINABILITY

IPC's sustainable technologies contribute every year more to new levels of energy savings, water savings, and recycling of materials.

NETWORK

GLOBAL DISTRIBUTION


IPC has a global commercial network covering over 120 countries, with pervasive and complete service in reference markets.

PRODUCTS

COMPLETE PORTFOLIO

IPC provides a complete range of professional equipment including scrubber driers, professional vacuum cleaners, high pressure washers and manual equipment.

MORE THAN **1.000 SPECIALISTS** DEDICATED TO **"CLEAN ON"**



PORTOTECNICA

50.000 pieces of hp cleaners a year and a **4.500 sq/m** of warehouses.

Number of patents: 12

Certificates: UNI EN ISO 9001:2015, UNI EN ISO 14001:2015, BS OHSAS 18001:2007




GANSOW

30.000 pieces of floorcare machines a year and a **7.000 sq/m** of warehouses.

Number of patents: 35

Certificates: UNI EN ISO 9001:2015, BS OHSAS 18001:2007



SOTECO

250.000 pieces of vacuums a year and a **1.800 sq/m** of warehouses.

Number of patents: 8

Certificates: UNI EN ISO 9001:2015, UNI EN ISO 14001:2015, BS OHSAS 18001:2007



EUROMOP READYSYSTEM PULEX

7 million pieces of cleaning equipments a year and **11.500 sq/m** of warehouses.

Number of patents: 18

Certificates: UNI EN ISO 9001:2015

VACUUM CLEANERS - PREMIUM LINE



MIRAGE 1 W 1 26 S P.14



MIRAGE 1 W 1 32 S P.16



MIRAGE 1 W 2 61 S GA P.18



MIRAGE 1 W 3 61 GA P.20



MIRAGE 1 W 2 76 S P.22



MIRAGE 1 W 3 76 S P.24

WET EXTRACTORS - PREMIUM LINE



PLUS 1 W 1 22 P P.26



PLUS 1 W 1 32 S P.28



PLUS 1 W 2 60 S GA P.30

VACUUM CLEANERS - PROFESSIONAL LINE



MIRAGE 1/16 P.38



MIRAGE 2 D 1 16 P P.40



MIRAGE 2 W 1 17 P P.42



MIRAGE 2 W 1 27 P P.44



MIRAGE 2 W 1 62 P P.46



MIRAGE 2 W 2 62 P P.48



MIRAGE 2 W 3 62 P P.50

VACUUM CLEANERS - **SPECIAL & INDUSTRIAL SOLUTIONS**



SP W 2 62 P SUB

P.56



SP D 1 41 S VOLCAN

P.58



SP D 2 62 S CL H

P.60



SP D TRI 60 S GA

P.62

VACUUM CLEANERS

PREMIUM LINE 7

PROFESSIONAL LINE 33

SPECIAL & INDUSTRIAL SOLUTIONS 53

IPC vacuum cleaners nomenclature allows an easy and fast identification of the main characteristics of each model.
Following an example on Mirage 1 W 2 61 S GA vacuum cleaner:

MIRAGE

VACUUM CLEANERS
MIRAGE=VACUUM
CLEANERS
PLUS=WET EXTRACTORS
SP=SPECIAL/
INDUSTRIAL VACUUM
CLEANERS

1

RANGE
1=PREMIUM
RANGE
2=PROFESSIONAL
RANGE

W

USAGE
W = WET/DRY
D = DRY

2

NO. OF MOTORS
1 = 1 MOTOR
2 = 2 MOTOR
3 = 3 MOTOR
TRI = THREE
PHASE

/

61

TANK CAPACITY

S

TANK MATERIAL
S = STEEL TANK
P = PLASTIC
TANK

GA

SPECIFIC APPLICATIONS
GA = GARAGE
SUB = FLOODED AREAS
VOLCAN = HOT RESIDUES
CL H = H CLASS
CERTIFICATION
ECO B = ENERGY
EFFICIENCY "CLASS B"



PREMIUM LINE

INNOVATIONS 8

EXCLUSIVE CHARACTERISTICS 10

VACUUM CLEANERS

MIRAGE 1 W 1 26 S 14

MIRAGE 1 W 1 32 S 16

MIRAGE 1 W 2 61 S GA 18

MIRAGE 1 W 3 61 GA 20

MIRAGE 1 W 2 76 S 22

MIRAGE 1 W 3 76 S 24

WET EXTRACTORS

PLUS 1 W 1 22 P 26

PLUS 1 W 1 32 S 28

PLUS 1 W 2 60 S GA 30



NEW BLEND FLEXIBLE HOSE

HIGH RESISTANCE TO STRESS AND TWISTING

The new corrugated flexible hose, thanks to a special blend, resists to any kind of stress and twisting (ESCR – Environmental Stress Cracking Resistance) ensuring a perfect suction and resistance to detergents, therefore highly recommended for carpet extractors and wet applications.



**EVEN MORE RESISTANCE
TO CHEMICALS**



**EXCELLENT RESISTANCE
TO MECHANICAL STRESS**



**GREAT
FLEXIBILITY**



**ESPECIALLY RECOMMENDED
FOR WET APPLICATIONS**

BENEFITS

- 01 High resistance to chemical agents.
- 02 High resistance to mechanical stresses.
- 03 High flexibility.
- 04 Hose durability more than 40.000 oscillations



EXCLUSIVE IPC PUMP

RADIAL PISTON PUMP - FOR HEAVY DUTY APPLICATIONS

The injection pump picks up the detergent solution from the integrated tank and sprays it onto the surface, which is cleaned afterwards by special nozzles.



PUMP POWER
90 W



PUMP CAPACITY
1.8 l/min



PUMP PRESSURE
3.5 bar

SUITABLE FOR CLEANING:

HARD FLOORS, CARPETS, CAR INTERIORS, SOFAS AND UPHOLSTERIES

BENEFITS

- 01 Great reliability thanks to internal manufacturing and quality controls
- 02 Designed for heavy duty and frequent applications
- 03 High-efficiency pressure
- 04 Double protection: - An automatic Bypass System avoids overpressure
- Overpressure control switch for additional safety



AP TUBE
ALUMINIUM/
PLASTIC
TUBE



LIGHT AND TOUGH

The AP Tube is a innovative solution designed to simplify the daily cleaning activities. The Ap Tube is lightweight and at the same time extremely robust, consisting of an inner layer of aluminum covered with a recycled plastic layer. AP Tube is wear-resistant (Rust-proof), ergonomic and it ensures maximum maneuverability.

BENEFITS

01

Mix of plastic and aluminium

02

PLUS OF ALUMINIUM:

- Lightweight
- Mechanical resistance
- Air friction reduced

03

PLUS OF PLASTIC:

- Anti slip
- Thermal protection
- Corrosion proof

04

Easy removable when turning the two wands, but strong connected if pulled



SANIFILTER



CERTIFIED ANTIBACTERIAL TREATMENT

The antibacterial treatment of the filters with silver ions (Ag+ ions) destroys bacteria's membrane cell, fungus, viruses, microparasites and inhibits their proliferation.

BENEFITS

01

Good cleaning resistance, up to 5 washes at low temperature (T=40°C)

02


Immediate and effective action on the collected material avoiding bacteria re-emission in the exhaust air

03

Antibacterial activity against both Staphylococcus Aureus and Klebsiella Pneumoniaes verified according to the JIS L 1902:2008 International Standard



EXCLUSIVE
BUILT-IN
SEALED
GASKET



MAXIMUM SEAL

The innovative head gasket is melted in the base through a special process that guarantees maximum resistance and durability even when vacuuming oily or chemical residues. Steel tank models include an integrated metal plate to avoid electrostatic discharges.

BENEFITS

01

Extremely durable also to chemicals

02


Maximum seal: no loss of airflow during suction

03

Easy maintenance: easy to clean and wear-resistant.



HI-TECH
HOOKS



EXTREMELY FLEXIBLE

Unbreakable hooks are extremely flexible and resistant to any type of torsion thanks to a special blend.

BENEFITS

01

Twist-proof

02

Shock resistant

03


Super flexible

04

Fast latching



SCREWING
CONNECTION



NO UNCOUPLING OF THE HOSE

The screwing connection of the flexible hose to the wand allows to work in maximum safety, avoiding damages and preventing the uncoupling of the hose.

BENEFITS

01

Great maneuverability

02

Maximum safety during cleaning



SEALANT
FLOATER
& INTEGRATED
ANTIFOAM
SYSTEM



FOAM & LIQUIDS STOP

Wet & Dry vacuum cleaners are equipped with a special device - the Integrated Anti-Foam System - which protects the floater from foam. The floater detects and blocks liquids when tank is full; thanks to its watertight rubber seal, this innovative system protects the motor ensuring maximum safety.

BENEFITS

01

The Integrated Anti-Foam System guarantees the correct floater operation mode

02

The floater detects and blocks liquids when tank is full

03

The motor is protected by the floater



DRAIN HOSE



PRACTICAL SOLUTION TO EMPTY THE TANK

Wet & Dry (large capacity) models are equipped with drain valve solutions to facilitate tank emptying.

BENEFITS

01
Possibility to empty the tank from liquids

02
User-friendly design



TIPPING TROLLEY



LESS EFFORTS TO EMPTY THE TANK

Wet & Dry (large capacity) models are equipped with a tipping tank system and a front handle to make emptying operations easy and fast.


BENEFITS

01
Ideal for large quantities of liquids

02
Designed for working efficiently and in total safety



INDEPENDENT MOTORS



NO PERFORMANCE LOSS

2 motors and 3 motors equipped machines have special valves allowing the separate start of the motors without any power loss. This function allows the operator to adjust the power according to the specific use and have a spare motor. Light indicators show how many motors are running and alert if there is any breakdown of the power cord.


BENEFITS

01
Power selection according to usage

02
Possibility to have a ready-to-use spare motor



**RELIABLE
CONSTRUCTION
FOR INTENSIVE
USE**



MAXIMUM SIMPLICITY AND COST SAVINGS

Our goal is to design and manufacture high quality, reliable and durable vacuum cleaners suitable for an intensive use. 40 years of experience and integrated vertical production led us to reach the maximum level of control concerning the design and production of all our accessories: flexible hoses, plastic and inox tanks, frameworks and powerheads with a wide range of electrical configurations, in compliance with international standards.

BENEFITS

01

A complete range of products for any competitive application

02

Faster prioritized production and fast delivery

03

Easy interchangeable filters, spare parts and accessory kits

member of **IPC**

MIRAGE 1 W 1 26 S

ASDO40028

POWER MAX

1200

W

WATER LIFT

2470

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

26


l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS

MOST FREQUENTLY USE



SPECS



HEAD WITH ANTI FOAM SYSTEM



ROBUST STEEL TANK



RECYCLABLE SHOCKPROOF POLYPROPYLENE PLASTIC

















TECHNICAL DATA

		MIRAGE 1 W 1 26 S
Code		ASDO40028
PERFORMANCE		
Usage		WET & DRY
Motor		1
Power	W	1200
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity	l	26
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	390 x 390 x 720
Weight	kg	9

STANDARD EQUIPMENT

CODE: KTRI02943 FILTERING KIT 	CODE: TBFX85412 FLEXIBLE HOSE 2 m Ø36 mm 	CODE: LAFN28238 ALUMINIUM/PLASTIC TUBE 50 cm Ø36 mm (2 PCS INCLUDED) 	CODE: LAFN85073 HANDLE WITH AIR REGULATOR Ø36 mm 	CODE: SPPV28244 DOUBLE USE BRUSH Ø36 mm 
CODE: SPPV28245 WET FLOOR TOOL Ø36 mm 	CODE: SPPV28243 ROUND BRUSH Ø36 mm 	CODE: MPVR00141 SMALL TOOL Ø36 mm 	CODE: SPPV28242 FLAT LANCE Ø36 mm 	CODE: MPVR00090 CUFF FOR FLEXIBLE HOSE Ø36 mm 

OPTIONAL ACCESSORIES

CODE: FTDP28861 PAPER BAG 	CODE: KTRI02909 PAPER BAG SET OF 10 PCS  X10	CODE: FTDP00462 MICROFIBER BAG 	CODE: KTRI04795 MICROFIBER BAG SET OF 10 PCS  X10	CODE: FTDP00222 PREFILTER PCB 
CODE: MPVR28723 FASTENING PLASTIC RING (AVAILABLE AS SPARE PART) 	CODE: FTDP28755 MESH FILTER 	CODE: FTDP00583 WASHABLE CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP28844 HEPA H13 CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP00528 PAPER CARTRIDGE (AVAILABLE AS SPARE PART) 
CODE: MPVR11566 CREVICE TOOL 35 cm Ø36 mm 	CODE: MPVR11567 FLEXIBLE CREVICE TOOL 60 cm Ø36 mm 	CODE: FTDP00654 WASHABLE CARTRIDGE KIT W/RING AND GASKET 	CODE: FTDP00657 HEPA CARTRIDGE KIT W/RING AND GASKET 	CODE: FTDP00659 PAPER CARTRIDGE KIT W/RING AND GASKET 
CODE: KTRI02734 CONDUCTIVE TOOL KIT Ø36 mm (FOR STEEL TANK MODEL) 				

member of **IPC**

MIRAGE 1 W 1 32 S

ASDO40029

POWER MAX

1200

W

WATER LIFT

2470

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

32


l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS

MOST FREQUENTLY USE



SPECS



HEAD WITH CABLE HOOK



TROLLEY WITH LARGE REAR WHEELS FOR MORE PRECISE STEERING



WITH REAR ACCESSORIES TROLLEY


















TECHNICAL DATA

		MIRAGE 1 W 1 32 S
Code		ASDO40029
PERFORMANCE		
Usage		WET & DRY
Motor		1
Power	W	1200
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity	l	32
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	430 x 430 x 830
Weight	kg	10,5

STANDARD EQUIPMENT

CODE: KTRI02943 FILTERING KIT 	CODE: TBFX28237 FLEXIBLE HOSE 2,5 m Ø38 mm 	CODE: LAFN43048 ALUMINIUM/PLASTIC TUBE 50 cm Ø38 mm (2 PCS INCLUDED) 	CODE: MPVR43047 HANDLE WITH AIR REGULATOR Ø38 mm 	CODE: SPPV43050 DUST TOOL Ø38 mm 
CODE: SPPV43051 WET TOOL Ø38 mm 	CODE: SPPV00156 FLAT LANCE Ø38 mm 	CODE: SPPV43052 ROUND BRUSH Ø38 mm 	CODE: MPVR43049 ADAPTER 	

OPTIONAL ACCESSORIES

CODE: FTDP72226 PAPER BAG 	CODE: KTRI03035 PAPER BAG SET OF 10 PCS  X10	CODE: FTDP00462 MICROFIBER BAG 	CODE: KTRI04795 MICROFIBER BAG SET OF 10 PCS  X10	CODE: FTDP00222 PREFILTER PCB 
CODE: MPVR28723 FASTENING PLASTIC RING (AVAILABLE AS SPARE PART) 	CODE: FTDP28755 MESH FILTER 	CODE: FTDP00583 WASHABLE CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP28844 HEPA H13 CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP00528 PAPER CARTRIDGE (AVAILABLE AS SPARE PART) 
CODE: SPPV01336 CARPET BRUSH Ø38 mm 	CODE: TBFX00393 FLEXIBLE HOSE 5 m Ø38 mm 	CODE: FTDP00654 WASHABLE CARTRIDGE KIT W/RING AND GASKET 	CODE: FTDP00657 HEPA CARTRIDGE KIT W/RING AND GASKET 	CODE: FTDP00659 PAPER CARTRIDGE KIT W/RING AND GASKET 
CODE: KTRI02735 CONDUCTIVE TOOL KIT Ø38 mm (FOR STEEL TANK MODEL) 	CODE: SPPV37133 BRISTLE BRUSH Ø38 mm 			

member of **IPC**

MIRAGE 1 W 2 61 S GA

ASDO40030

POWER MAX

2400
W

WATER LIFT

2470
mmH₂O

AIRFLOW

420
m³/h

TANK CAPACITY

61
l

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE



SPECS



FITTED WITH ANTI FOAM SYSTEM WITH FLOAT SWITCH



FITTED WITH STEEL TANK WITH SIDE HANDLES TO FACILITATE EMPTYING



RECYCLABLE SHOCKPROOF POLYPROPYLENE PLASTIC

TECHNICAL DATA

		MIRAGE 1 W 2 61 S GA
Code		ASDO40030
PERFORMANCE		
Usage		WET & DRY
Motor		2
Power	W	2400
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	420
Tank Capacity	l	61
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	510 x 510 x 940
Weight	kg	19

STANDARD EQUIPMENT

CODE: FTDP28733
FILTERING KIT



CODE: TBFX28237
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: MPVR28241
ADAPTER Ø38/36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



OPTIONAL ACCESSORIES

CODE: FTDP28862
PAPER BAG



CODE: KTRI02912
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608
MICROFIBER BAG



CODE: KTRI04796
MICROFIBER BAG SET OF 10 PCS



X10

CODE: FTDP00223
PREFILTER PCB



CODE: SPPV01336
CARPET BRUSH Ø38 mm



CODE: SPPV43050
DUST TOOL Ø38 mm



CODE: SPPV43051
WET TOOL Ø38 mm



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBE 50 cm Ø38 mm



CODE: MPVR43047
HADLE WITH AIR
REGULATOR Ø38 mm



CODE: FTDP00528
PAPER CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP00583
WASHABLE CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP28844
HEPA H13 CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: MPVR28723
FASTENING PLASTIC RING
(AVAILABLE AS SPARE PART)



CODE: FTDP28755
MESH FILTER



CODE: FTDP00659
PAPER CARTRIDGE KIT W/
RING AND GASKET



CODE: FTDP00654
WASHABLE CARTRIDGE
KIT W/RING AND GASKET



CODE: FTDP00657
HEPA CARTRIDGE KIT W/
RING AND GASKET



CODE: TBFX00393
FLEXIBLE HOSE 5 m
Ø38 mm



CODE: MPVR11566
CREVICE TOOL 35 cm
Ø36 mm



CODE: MPVR11567
FLEXIBLE CREVICE TOOL
60 cm Ø36 mm



CODE: KTRI02735
CONDUCTIVE TOOL KIT
Ø38 mm
(FOR STEEL TANK MODEL)



CODE: SPPV37133
BRISTLE BRUSH Ø38 mm



member of **IPC**

MIRAGE 1 W 3 61 GA

ASDO40031

POWER MAX

3300

W

WATER LIFT

2470

mmH₂O

AIRFLOW

630

m³/h

TANK CAPACITY

61

l

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE

AUTOMOTIVE



HORECA



OFFICE



EDUCATION



SPECS



RECYCLABLE SHOCKPROOF POLYPROPYLENE PLASTIC



HEAD WITH CABLE HOOK



TROLLEY WITH LARGE WHEELS WITH TYRES FOR GREATER MANOEUVRABILITY

TECHNICAL DATA

MIRAGE 1 W 3 61 GA

Code	ASDO40031	
PERFORMANCE		
Usage	WET & DRY	
Motor	3	
Power	W	3300
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	630
Tank Capacity	l	61
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	76
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	510 x 510 x 940
Weight	kg	21

STANDARD EQUIPMENT

CODE: FTDP28733
FILTERING KIT



CODE: TBFX28237
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: MPVR28241
ADAPTER Ø38/36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



OPTIONAL ACCESSORIES

CODE: FTDP28862
PAPER BAG



CODE: KTRI02912
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608
MICROFIBER BAG



CODE: KTRI04796
MICROFIBER BAG SET OF 10 PCS



X10

CODE: FTDP00223
PREFILTER PCB



CODE: SPPV01336
CARPET BRUSH Ø38 mm



CODE: SPPV43050
DUST TOOL Ø38 mm



CODE: SPPV43051
WET TOOL Ø38 mm



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBE 50 cm Ø38 mm



CODE: MPVR43047
HADLE WITH AIR
REGULATOR Ø38 mm



CODE: FTDP00528
PAPER CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP00583
WASHABLE CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP28844
HEPA H13 CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: MPVR28723
FASTENING PLASTIC RING
(AVAILABLE AS SPARE PART)



CODE: FTDP28755
MESH FILTER



CODE: FTDP00659
PAPER CARTRIDGE KIT W/
RING AND GASKET



CODE: FTDP00654
WASHABLE CARTRIDGE
KIT W/RING AND GASKET



CODE: FTDP00657
HEPA CARTRIDGE KIT W/
RING AND GASKET



CODE: TBFX00393
FLEXIBLE HOSE 5 m
Ø38 mm



CODE: MPVR11566
CREVICE TOOL 35 cm
Ø36 mm



CODE: MPVR11567
FLEXIBLE CREVICE TOOL
60 cm Ø36 mm



CODE: KTRI02735
CONDUCTIVE TOOL KIT
Ø38 mm
(FOR STEEL TANK MODEL)



CODE: SPPV37133
BRISTLE BRUSH Ø38 mm



member of **IPC**

MIRAGE 1 W 2 76 S

ASDO40032

POWER MAX

2400
W

WATER LIFT

2470
mmH₂O

AIRFLOW

420
m³/h

TANK CAPACITY

76
l

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ TIPPING TROLLEY
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE



SPECS



EASY USER-FRIENDLY RELEASE SYSTEM TO TURN OVER THE TANK



REINFORCED STEEL TANK WITH THREE HANDLES TO FACILITATE EMPTYING



HEAD WITH ANTI FOAM SYSTEM

TECHNICAL DATA

		MIRAGE 1 W 2 76 S
Code		ASDO40032
PERFORMANCE		
Usage		WET & DRY
Motor		2
Power	W	2400
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	420
Tank Capacity	l	76
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	550 x 600 x 950
Weight	kg	24

STANDARD EQUIPMENT

CODE: KTRI02949
FILTERING KIT



CODE: TBFX28237
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: MPVR43047
HANDLE WITH AIR
REGULATOR Ø38 mm



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBE 50 cm Ø38 mm
(2 PCS INCLUDED)



CODE: SPPV43050
DUST TOOL Ø38 mm



CODE: SPPV43051
WET TOOL Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: SPPV43052
ROUND BRUSH Ø38 mm



CODE: MPVR43049
ADAPTER




OPTIONAL ACCESSORIES

CODE: FTDP28862
PAPER BAG



CODE: KTRI02912
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608
MICROFIBER BAG



CODE: KTRI04796
MICROFIBER BAG SET OF
10 PCS



X10

CODE: FTDP00223
PREFILTER PCB



CODE: FTDP00528
PAPER CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP00583
WASHABLE CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP28844
HEPA H13 CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: MPVR28723
FASTENING PLASTIC RING
(AVAILABLE AS SPARE PART)



CODE: FTDP28755
MESH FILTER



CODE: FTDP00659
PAPER CARTRIDGE KIT
W/RING AND GASKET



CODE: FTDP00654
WASHABLE CARTRIDGE
KIT W/RING AND GASKET



CODE: FTDP00657
HEPA CARTRIDGE KIT
W/RING AND GASKET



CODE: SPPV01336
CARPET BRUSH Ø38 mm



CODE: TBFX00393
FLEXIBLE HOSE 5 m
Ø38 mm



CODE: SPPV30894
FIXED ACCESSORY FOR
DUST AND LIQUID



CODE: SPPV28247
FIXED ACCESSORY FOR
DUST



CODE: SPPV28248
FIXED ACCESSORY FOR
LIQUID



CODE: KTRI02735
CONDUCTIVE TOOL KIT
Ø38 mm
(FOR STEEL TANK MODEL)



CODE: SPPV37133
BRISTLE BRUSH Ø38 mm



member of **IPC**

MIRAGE 1 W 3 76 S

ASDO40033

POWER MAX

3300

W

WATER LIFT

2470

mmH₂O

AIRFLOW

630

m³/h

TANK CAPACITY

76

l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ TIPPING TROLLEY
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS

MOST FREQUENTLY USE

AUTOMOTIVE



HARDWARE CUSTOMER



AGRICULTURE



LOGISTIC & TRANSPORT



CONSTRUCTION



HEAVY INDUSTRY



SPECS



TROLLEY WITH SWING TANK TO FACILITATE EMPTYING



RECYCLABLE SHOCKPROOF POLYPROPYLENE PLASTIC



LARGE REAR WHEELS FOR EASY MANOEUVRING

TECHNICAL DATA

		MIRAGE 1 W 3 76 S
Code		ASDO40033
PERFORMANCE		
Usage		WET & DRY
Motor		3
Power	W	3300
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	630
Tank Capacity	l	76
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	76
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	550 x 600 x 950
Weight	kg	26

STANDARD EQUIPMENT

CODE: KTRI02949
FILTERING KIT



CODE: TBFX28237
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: MPVR43047
HANDLE WITH AIR
REGULATOR Ø38 mm



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBE 50 cm Ø38 mm
(2 PCS INCLUDED)



CODE: SPPV43050
DUST TOOL Ø38 mm



CODE: SPPV43051
WET TOOL Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: SPPV43052
ROUND BRUSH Ø38 mm



CODE: MPVR43049
ADAPTER



OPTIONAL ACCESSORIES

CODE: FTDP28862
PAPER BAG



CODE: KTRI02912
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608
MICROFIBER BAG



CODE: KTRI04796
MICROFIBER BAG SET OF
10 PCS



X10

CODE: FTDP00223
PREFILTER PCB



CODE: FTDP00528
PAPER CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP00583
WASHABLE CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP28844
HEPA H13 CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: MPVR28723
FASTENING PLASTIC RING
(AVAILABLE AS SPARE PART)



CODE: FTDP28755
MESH FILTER



CODE: FTDP00659
PAPER CARTRIDGE KIT
W/RING AND GASKET



CODE: FTDP00654
WASHABLE CARTRIDGE
KIT W/RING AND GASKET



CODE: FTDP00657
HEPA CARTRIDGE KIT
W/RING AND GASKET



CODE: SPPV01336
CARPET BRUSH Ø38 mm



CODE: TBFX00393
FLEXIBLE HOSE 5 m
Ø38 mm



CODE: SPPV30894
FIXED ACCESSORY FOR
DUST AND LIQUID



CODE: SPPV28247
FIXED ACCESSORY FOR
DUST



CODE: SPPV28248
FIXED ACCESSORY FOR
LIQUID



CODE: KTRI02735
CONDUCTIVE TOOL KIT
Ø38 mm
(FOR STEEL TANK MODEL)



CODE: SPPV37133
BRISTLE BRUSH Ø38 mm



member of **IPC**

PLUS 1 W 1 22 P

ASDO40034

POWER MAX

1200

W

WATER LIFT

2470

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

22

l

PUMP POWER

48

W



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS

MOST FREQUENTLY USE

AUTOMOTIVE



HORECA



OFFICE



RETAIL



EDUCATION



INNOVATIONES



SPECS



PARTICULARLY SUITABLE FOR CLEANING FABRICS AND CARPETS



HEAD WITH ANTI FOAM SYSTEM



EXTRACTABLE PLASTIC DETERGENT TANK FOR RAPID FILLING AND EASY CLEANING

TECHNICAL DATA

		PLUS 1 W 1 22 P
Code		ASDO40034
PERFORMANCE		
Usage		WET & DRY
Motor		1
Power	W	1200
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity	l	22
Detergent tank capacity	l	6
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	72
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	520 x 420 x 590
Weight	kg	10,2

STANDARD EQUIPMENT

CODE: KTRI04111
FILTERING KIT



CODE: TBFX85416
**FLEXIBLE HOSE 2 m
 Ø36 mm**



CODE: MPVR85445
**CLIP TO FIX HYDROLITYC
 HOSE (4 PCS INCLUDED)**



CODE: SPPV85446
**NOZZLE FOR FLOOR AND
 CARPET Ø36 mm**



CODE: SPPV40311
**EXTRACTOR UPHOLSTERY
 TOOL Ø36 mm**



CODE: SPPV28430
**DOUBLE USE BRUSH
 Ø36 mm**



CODE: SPPV28243
ROUND BRUSH Ø36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28242
FLAT LANCE Ø36 mm



member of **IPC**

PLUS 1 W 1 32 S

ASDO40035

POWER MAX

1200

W

WATER LIFT

2470

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

32

l

PUMP POWER

48

W



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS

MOST FREQUENTLY USE



INNOVATIONES



SPECS



EXTRACTABLE PLASTIC DETERGENT TANK FOR RAPID FILLING AND EASY CLEANING



HEAD WITH CABLE HOOK



TROLLEY WITH FOUR SWIVELLING WHEELS FOR EASY MANOEUVRING

TECHNICAL DATA

		PLUS 1 W 1 32 S
Code		ASDO40035
PERFORMANCE		
Usage		ONLY WET
Motor		1
Power	W	1200
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity	l	32
Detergent tank capacity	l	11
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	72
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	380 x 380 x 650
Weight	kg	12,4

STANDARD EQUIPMENT

CODE: TBFX01154
FLEXIBLE HOSE 2 m
Ø36 mm



CODE: SPPV72123
NOZZLE FOR FLOOR AND
CARPET Ø36 mm



CODE: SPPV28251
EXTRACTOR UPHOLSTERY
TOOL



OPTIONAL ACCESSORIES

CODE: SPPV28430
DOUBLE USE BRUSH
Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28242
FLAT LANCE Ø36 mm



CODE: SPPV72266
CHROMED CARPET CLEANER
(1 NOZZLE) Ø36 mm



CODE: KTRI86511
FILTERING KIT



member of **IPC**

PLUS 1 W 2 60 S GA

ASDO40036

POWER MAX

2400

W

WATER LIFT

2470

mmH₂O

AIRFLOW

420

m³/h

TANK CAPACITY

60

l

PUMP POWER

90

W



EXCLUSIVE CHARACTERISTICS

- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ DRAIN HOSE
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS

MOST FREQUENTLY USE



INNOVATIONS



SPECS



DETERGENT INJECTION AND EXTRACTION. PARTICULARLY SUITABLE FOR CLEANING CAR INTERIORS.



AISI 304 STAINLESS STEEL TANK



THE MACHINE IS EQUIPPED WITH EXTERNAL TANK FOR CLEAN WATER FILLING.

TECHNICAL DATA

PLUS 1 W 2 60 S GA

Code	ASDO40036	
PERFORMANCE		
Usage	WET & DRY	
Motor	2	
Power	W	2400
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	420
Tank Capacity	l	60
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	74
Pump power	W	90
Pump capacity	l/min	1,8
Pump pressure	bar	3,5
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	550 x 600 x 920
Weight	kg	28

STANDARD EQUIPMENT

CODE: FTDP28733
FILTERING KIT



CODE: TBBP72095
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: SPPV28251
EXTRACTOR UPHOLSTERY
TOOL



OPTIONAL ACCESSORIES

CODE: SPPV28781
CARPET CLEANER 2
NOZZLES Ø38 mm



CODE: SPPV72118
FLOOR CLEANER WITH 4
NOZZLES Ø38 mm



CODE: SPPV72340
EXTRACTION POWER
WAND ATLANTA (FOR
FLOOR AND CARPET)



CODE: SPPV01837
EXTRACTION POWER
WAND FLORIDA (ONLY
FOR CARPET)





PROFESSIONAL LINE

INNOVATIONS 34

EXCLUSIVE CHARACTERISTICS 36

MIRAGE 1/16 38

MIRAGE 2 D 1 16 P 40

MIRAGE 2 W 1 17 P 42

MIRAGE 2 W 1 27 P 44

MIRAGE 2 W 1 62 P 46

MIRAGE 2 W 2 62 P 48


MIRAGE 2 W 3 62 P 50



BLACK
IS
GREEN™

UP TO 75% RECYCLED PLASTIC

Our designers have developed an innovative and fully equipped product range ideal for professional cleaning. Through the IPC exclusive technology, these new eco-friendly products have been created with high quality recycled plastic, promoting sustainable development and environmental protection.



BENEFITS

- 01 Black is Green™ recycled plastic is a raw material made of the best and strictly selected plastic waste. Black is Green™ is the result of an innovative process which guarantees the features of the brand new and high quality plastic, in the total respect of the environment
- 02 Recycled plastic produces no waste, it is recyclable and in compliance with RoHS and REACH guidelines
- 03 TÜV Certified recycling process and production



**ECODESIGN
FOR
PROFESSIONALS**

BEST PERFORMANCE WITH LESS ENERGY CONSUMPTIONS

IPC Group has developed an innovative vacuum range. The new only dry vacuum cleaners have been designed for cleaning specialists and contract cleaners by ensuring high productivity and cost savings.

FOR MORE




**EFFICIENCY
PERFORMANCE
FILTRATION
SILENT**

BENEFITS

- 01 Best performances with maximum energy saving
- 02 Powerful and combinable nozzle for an high cleaning efficacy with less sliding friction force
- 03 High Efficiency filtration system and low noise level
- 04 Long-lasting motors and oscillation-resistant flexible hoses (up to more than 40.000 oscillations)



**NEW
ECO-MOTOR™**



BEST PERFORMANCE WITH MAXIMUM ENERGY SAVING

A new generation motor which ensures maximum energy-saving, providing best performance, reliability and great efficiency.

BENEFITS

01

Energy consumption less than 32 kWh/year

02

Advanced mechanical design ensuring no loss in performance

03

Durability up to 800 hours

04

Silent



**NEW
ECO-BRUSH™**



POWERFUL COMBI NOZZLE FOR HIGHLY CLEANING EFFICACY

Powerful nozzles for high cleaning efficacy, properly designed to reduce energy consumption and ensure minimum user effort.

BENEFITS

01

New ABS base plate for maximum suction efficiency on carpets and hard floor surfaces with low noise level

02

Anti trace wheels designed to improve the sliding of floor nozzle

03


Optimization of extraction pipe and retractable bristles

04

Robust structure for heavy duty employments



**NEW
ECO-BAG™**



HIGH EFFICIENCY FILTRATION

High Efficiency Filtration and containment (class M certified).

BENEFITS

01

Great resistance to rips and ruptures

02

Safe containment of fine dust to avoid inhalation during disposal

03

Reduction of dust re-emissions in exhausting air



NEW
ERGONOMIC
SOLUTIONS



MAKE THE WORK COMFORTABLE

Through an accurate field-based research of both professionals and users, we developed a number of suitable solutions to improve comfort and ergonomics of our new generation of “dry only” models.

BENEFITS

01

Integrated housing for cable wrapping

02

New handle with parking position for extension tube

03

Easy filter replacement without tools

04

New bumpers to prevent damages or latches disconnection

member of **IPC**

MIRAGE 1/16

ASDO13277

POWER MAX

900
W

WATER LIFT

2260
mmH₂O

AIRFLOW

158
m³/h

TANK CAPACITY

16
l

EXCLUSIVE CHARACTERISTICS

- ▶ SANIFILTER
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ ECOMOTOR
- ▶ ECOBRUSH
- ▶ ECOBAG
- ▶ NEW ERGONOMIC SOLUTION
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



MOST FREQUENTLY USE



INNOVATIONS



SPECS



SIDE PROTECTION AGAINST DOORS AND WALLS



ERGONOMIC HANDLE WITH INTEGRATED CABLE WRAP



EXTREMELY FLEXIBLE HOOKS

TECHNICAL DATA

		MIRAGE 1/16
Code		ASD013277
PERFORMANCE		
Usage		ONLY DRY
Motor		1
Power	W	840-900 max
Voltage	V	220-240
Waterlift	mm H ₂ O	2260
Airflow	m ³ /h	158
Tank Capacity	l	16/plastic
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	63
Sound Power Level (EN 60704-1; EN 60704-2-1; Reg. 665/2013, 666/2013)	dB(A)	79
Diameter of accessories	mm	36/32
Dimensions (LxWxH)	mm	400x400x330
Weight	Kg	5,8

STANDARD EQUIPMENT

CODE: FTDP00755 POLYESTER MAIN FILTER 850 cm ² 	CODE: FTDP00680 MICROFIBER BAG 11 I 	CODE: FTDP40009 FOAM FILTER DOWNSTREAM 	CODE: TBFX00970 FLEXIBLE HOSE 2 m Ø36 mm 	CODE: MPVR10807 HANDLE WITH AIR REGULATOR Ø36/32 mm 
CODE: LAFN11295 CHROMED TUBES 2X50 cm Ø32 mm 	CODE: SPPV02189 DOUBLE USE BRUSH ECO Ø32 mm 			

OPTIONAL ACCESSORIES

CODE: KTRI04767 MICROFIBER BAG SET OF 10 PCS  X10	CODE: FTDP00225 PAPER BAG 1 PC 	CODE: KTRI02732 PAPER BAG SET OF 10 PCS  X10	CODE: FTDP40017 POLY CARTRIDGE UPSTREAM 	CODE: FTDP00305 HEPA H13 CARTRIDGE UPSTREAM 
CODE: FTDP00506 HEPA CARTRIDGE DOWNSTREAM (POLY M43 1 MICRON) 	CODE: FTDP00507 POLY CARTRIDGE DOWNSTREAM 	CODE: SPPV01756 FLAT LANCE Ø32 mm 	CODE: SPPV01736 ROUND BRUSH Ø32 mm 	CODE: SPPV01754 SMALL TOOL Ø32 mm 
CODE: MPVR10281 TOOL HOLDER 	CODE: LAFN08321 CHROMED TELESCOPIC TUBE Ø32 mm 			
CODE: SPPV02005 DOUBLE USE BRUSH Ø32 mm 	CODE: SPPV02206 PAD PLATE FOR DOUBLE USE BRUSH 	CODE: KTRI05034 MULTIPURPOSE PAD SET OF 10 PCS  X10	CODE: KTRI05035 PARQUET PAD SET OF 10 PCS  X10	

member of **IPC**

MIRAGE 2 D 1 16 P

ASDO40037

POWER MAX

900

W

WATER LIFT

2870

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

16

l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ ECOMOTOR
- ▶ ECOBRUSH
- ▶ ECOBAG
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE

MOST FREQUENTLY USE



INNOVATIONS



SPECS



EQUIPPED WITH FOUR SWIVELLING WHEELS FOR EASY MANOEUVRING



HANDY CARRYING HANDLE



HEAD WITH CABLE HOOK

TECHNICAL DATA

		MIRAGE 2 D 1 16 P
Code		ASD040037
PERFORMANCE		
Usage		ONLY DRY
Motor		1
Power	W	840-900
Voltage	V	220-240
Waterlift	mm H ₂ O	2870
Airflow	m ³ /h	210
Tank Capacity	l	16
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	63
Sound Pressure Level (EN 60704-1; EN 60704-2-1; Reg. 665/2013, 666/2013)	dB(A)	80
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	380 x 380 x 500
Weight	Kg	6

STANDARD EQUIPMENT

CODE: KTRI03023
FILTERING KIT



CODE: FTDP00453
MICROFIBER BAG



CODE: TBFX85412
FLEXIBLE HOSE 2 m
Ø36 mm



CODE: LAFN85073
HANDLE WITH AIR
REGULATOR Ø36 mm



CODE: LAFN28238
ALUMINIUM/PLASTIC
TUBE 50 cm Ø36 mm (2
PCS INCLUDED)



CODE: SPPV01990
DOUBLE USE BRUSH ECO
Ø36 mm



CODE: SPPV28242
FLAT LANCE Ø36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



OPTIONAL ACCESSORIES

CODE: FTDP33284
PAPER BAG 1 PC



CODE: KTRI02639
PAPER BAG SET OF 10 PCS



X10

CODE: KTRI04744
MICROFIBER BAG SET OF
10 PCS



X10

CODE: LAFN06340
CHROMED TUBE Ø36 mm



CODE: MPVR06274
CHROMED TELESCOPIC
TUBE Ø36 mm



CODE: SPPV01989
DOUBLE USE BRUSH
Ø36 mm



CODE: SPPV02206
PAD PLATE FOR DOUBLE
USE BRUSH



CODE: KTRI05034
MULTIPURPOSE PAD SET
OF 10 PCS



X10

CODE: KTRI05035
PARQUET PAD SET OF 10
PCS



X10

member of **IPC**

MIRAGE 2 W 1 17 P

ASDO40038

POWER MAX

1500

W

WATER LIFT

2230

mmH₂O

AIRFLOW

255

m³/h

TANK CAPACITY

17


l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE

MOST FREQUENTLY USE



SPECS



HEAD WITH ANTI FOAM SYSTEM



SHOCKPROOF POLYPROPYLENE TANK, RESISTANT TO WEAR AND EASY TO CLEAN



COMPLETELY RECYCLABLE HIGH RESISTANCE POLYPROPYLENE PLASTICS

TECHNICAL DATA

		MIRAGE 2 W 117 P
Code		ASDO40038
PERFORMANCE		
Usage		WET & DRY
Motor		1
Power	W	1500
Voltage	V	220-240
Waterlift	mmH ₂ O	2230
Airflow	m ³ /h	255
Tank Capacity	l	17
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	390 x 390 x 630
Weight	kg	7

STANDARD EQUIPMENT

CODE: KTRI02133
FILTERING KIT



CODE: TBFX85412
FLEXIBLE HOSE 2 m
Ø36 mm



CODE: LAFN85073
HANDLE WITH AIR
REGULATOR Ø36 mm



CODE: LAFN28238
ALUMINIUM/PLASTIC
TUBE 50 cm Ø36 mm (2
PCS INCLUDED)



CODE: SPPV28244
DOUBLE USE BRUSH
Ø36 mm



CODE: SPPV28245
WET FLOOR TOOL
Ø36 mm



CODE: SPPV28242
FLAT LANCE Ø36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



OPTIONAL ACCESSORIES

CODE: FTDP72226
PAPER BAG



CODE: KTRI03035
PAPER BAG SET OF 10 PCS




X10

CODE: FTDP00462
MICROFIBER BAG



CODE: KTRI04795
MICROFIBER BAG SET OF
10 PCS



X10

CODE: FTDP00222
PREFILTER PCB



CODE: MPVR11566
CREVICE TOOL 35 cm
Ø36 mm



CODE: MPVR11567
FLEXIBLE CREVICE TOOL
60 cm Ø36 mm



CODE: KTRI02734
CONDUCTIVE TOOL KIT
Ø36 mm
(FOR STEEL TANK MODEL)



member of **IPC**

MIRAGE 2 W 1 27 P

ASDO40039

POWER MAX

1500

W

WATER LIFT

2230

mmH₂O

AIRFLOW

255

m³/h

TANK CAPACITY

27


l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE

MOST FREQUENTLY USE



SPECS



COMPLETELY RECYCLABLE
HIGH RESISTANCE
POLYPROPYLENE PLASTICS



HANDY CARRYING HANDLE



TROLLEY WITH FOUR
SWIVELLING WHEELS FOR EASY
MANOEUVRING

TECHNICAL DATA

		MIRAGE 2 W 1 27 P
Code		ASDO40039
PERFORMANCE		
Usage		WET & DRY
Motor		1
Power	W	1500
Voltage	V	220-240
Waterlift	mmH ₂ O	2230
Airflow	m ³ /h	255
Tank Capacity	l	27
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	360 x 360 x 630
Weight	kg	8

STANDARD EQUIPMENT

CODE: KTRI02133
FILTERING KIT



CODE: TBFX85412
FLEXIBLE HOSE 2 m
Ø36 mm



CODE: LAFN85073
HANDLE WITH AIR
REGULATOR Ø36 mm



CODE: LAFN28238
ALUMINIUM/PLASTIC
TUBE 50 cm Ø36 mm (2
PCS INCLUDED)



CODE: SPPV28244
DOUBLE USE BRUSH
Ø36 mm



CODE: SPPV28245
WET FLOOR TOOL
Ø36 mm



CODE: SPPV28242
FLAT LANCE Ø36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



OPTIONAL ACCESSORIES

CODE: FTDP72226
PAPER BAG



CODE: KTRI03035
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00462
MICROFIBER BAG



CODE: KTRI04795
MICROFIBER BAG SET OF
10 PCS



X10

CODE: FTDP00222
PREFILTER PCB



CODE: FTDP00528
PAPER CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP00583
WASHABLE CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP28844
HEPA H13 CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: MPVR28723
FASTENING PLASTIC RING
(AVAILABLE AS SPARE PART)



CODE: FTDP28755
MESH FILTER



CODE: FTDP00659
PAPER CARTRIDGE KIT W/
RING AND GASKET



CODE: FTDP00654
WASHABLE CARTRIDGE
KIT W/RING AND GASKET



CODE: FTDP00657
HEPA CARTRIDGE KIT W/
RING AND GASKET



CODE: MPVR11566
CREVICE TOOL 35 cm
Ø36 mm



CODE: MPVR11567
FLEXIBLE CREVICE TOOL
60 cm Ø36 mm



CODE: KTRI02734
CONDUCTIVE TOOL KIT
Ø36 mm
(FOR STEEL TANK MODEL)



member of **IPC**

MIRAGE 2 W 1 62 P

ASDO40040

POWER MAX

1500

W

WATER LIFT

2230

mmH₂O

AIRFLOW

255

m³/h

TANK CAPACITY

62


l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE

MOST FREQUENTLY USE



SPECS



HEAD WITH ANTI FOAM SYSTEM



TANK WITH SIDE HANDLES



TROLLEY WITH SWIVELLING WHEELS TO FACILITATE MOVEMENTS

TECHNICAL DATA

		MIRAGE 2 W 1 62 P
Code		ASDO40040
PERFORMANCE		
Usage		WET & DRY
Motor		1
Power	W	1500
Voltage	V	220-240
Waterlift	mmH ₂ O	2230
Airflow	m ³ /h	255
Tank Capacity	l	62
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	480 x 480 x 880
Weight	kg	13

STANDARD EQUIPMENT

CODE: FTDP28733
FILTERING KIT



CODE: TBFX28237
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: MPVR43047
HANDLE WITH AIR
REGULATOR Ø38 mm



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBE 50 cm Ø36 mm (2
PCS INCLUDED)



CODE: SPPV43050
DUST TOOL Ø38 mm



CODE: SPPV43051
WET FLOOR TOOL
Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: SPPV43052
ROUND BRUSH Ø38 mm



CODE: MPVR43049
ADAPTER



OPTIONAL ACCESSORIES

CODE: FTDP28862
PAPER BAG



CODE: KTRI02912
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608
MICROFIBER BAG



CODE: KTRI04796
MICROFIBER BAG SET OF
10 PCS



X10

CODE: FTDP00223
PREFILTER PCB



CODE: FTDP00528
PAPER CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP00583
WASHABLE CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: FTDP28844
HEPA H13 CARTRIDGE
(AVAILABLE AS SPARE PART)



CODE: MPVR28723
FASTENING PLASTIC RING
(AVAILABLE AS SPARE PART)



CODE: FTDP28755
MESH FILTER



CODE: FTDP00659
PAPER CARTRIDGE KIT W/
RING AND GASKET



CODE: FTDP00654
WASHABLE CARTRIDGE
KIT W/RING AND GASKET



CODE: FTDP00657
HEPA CARTRIDGE KIT W/
RING AND GASKET



CODE: SPPV01336
CARPET BRUSH Ø38 mm



CODE: KTRI02735
CONDUCTIVE TOOL KIT
Ø38 mm
(FOR STEEL TANK MODEL)



CODE: SPPV37133
BRISTLE BRUSH Ø38 mm



member of **IPC**

MIRAGE 2 W 2 62 P

ASDO40041


POWER MAX	WATER LIFT	AIRFLOW	TANK CAPACITY
2800 W	2230 mmH ₂ O	510 m ³ /h	62 l

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



MOST FREQUENTLY USE



SPECS



HEAD WITH ANTI FOAM SYSTEM



LARGE REAR WHEELS



TROLLEY WITH HANDLE

TECHNICAL DATA

		MIRAGE 2 W 2 62 P
Code		ASDO40041
PERFORMANCE		
Usage		WET & DRY
Motor		2
Power	W	2800
Voltage	V	220-240
Waterlift	mmH ₂ O	2230
Airflow	m ³ /h	510
Tank Capacity	l	62
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	550 x 600 x 900
Weight	kg	20

STANDARD EQUIPMENT

CODE: FTDP28733 FILTERING KIT 	CODE: TBFX28237 FLEXIBLE HOSE 2,5 m Ø38 mm 	CODE: MPVR43047 HANDLE WITH AIR REGULATOR Ø38 mm 	CODE: LAFN43048 ALUMINIUM/PLASTIC TUBE 50 cm Ø36 mm (2 PCS INCLUDED) 	CODE: SPPV43050 DUST TOOL Ø38 mm 
CODE: SPPV43051 WET FLOOR TOOL Ø38 mm 	CODE: SPPV00156 FLAT LANCE Ø38 mm 	CODE: SPPV43052 ROUND BRUSH Ø38 mm 	CODE: MPVR43049 ADAPTER 	

OPTIONAL ACCESSORIES

CODE: FTDP28862 PAPER BAG 	CODE: KTRI02912 PAPER BAG SET OF 10 PCS  X10	CODE: FTDP00608 MICROFIBER BAG 	CODE: KTRI04796 MICROFIBER BAG SET OF 10 PCS  X10	CODE: FTDP00223 PREFILTER PCB 
CODE: FTDP00528 PAPER CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP00583 WASHABLE CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP28844 HEPA H13 CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: MPVR28723 FASTENING PLASTIC RING (AVAILABLE AS SPARE PART) 	CODE: FTDP28755 MESH FILTER 
CODE: FTDP00654 WASHABLE CARTRIDGE KIT W/ RING AND GASKET 	CODE: FTDP00657 HEPA CARTRIDGE KIT W/ RING AND GASKET 	CODE: FTDP00659 PAPER CARTRIDGE KIT W/ RING AND GASKET 	CODE: SPPV01336 CARPET BRUSH Ø38 mm 	CODE: MPVR10391 OPTIONAL TOOL HOLDER 
CODE: SPPV30894 FIXED ACCESSORY FOR DUST AND LIQUID 	CODE: SPPV28247 FIXED ACCESSORY FOR DUST 	CODE: SPPV28248 FIXED ACCESSORY FOR LIQUID 	CODE: KTRI02735 CONDUCTIVE TOOL KIT Ø38 mm (FOR STEEL TANK MODEL) 	CODE: SPPV37133 BRISTLE BRUSH Ø38 mm 

member of **IPC**

MIRAGE 2 W 3 62 P

ASDO40042

POWER MAX

3500
W

WATER LIFT

2230
mmH₂O

AIRFLOW

765
m³/h

TANK CAPACITY


62
l



EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DRAIN HOSE

MOST FREQUENTLY USE



SPECS



BUILT-IN DRAIN HOSE AS STANDARD FOR EASY TANK EMPTYING



FLEXIBLE HOSE IS LOCKED SECURELY AND RELIABLY



TROLLEY WITH FOUR SWIVELLING WHEELS FOR EASY MANOEUVRING

TECHNICAL DATA

		MIRAGE 2 W 3 62 P
Code		ASDO40042
PERFORMANCE		
Usage		WET & DRY
Motor		3
Power	W	3500
Voltage	V	220-240
Waterlift	mmH ₂ O	2230
Airflow	m ³ /h	765
Tank Capacity	l	62
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	76
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	550 x 600 x 900
Weight	kg	21,5

STANDARD EQUIPMENT

CODE: FTDP28733 FILTERING KIT 	CODE: TBFX28237 FLEXIBLE HOSE 2,5 m Ø38 mm 	CODE: MPVR43047 HANDLE WITH AIR REGULATOR Ø38 mm 	CODE: LAFN43048 ALUMINIUM/PLASTIC TUBE 50 cm Ø36 mm (2 PCS INCLUDED) 	CODE: SPPV43050 DUST TOOL Ø38 mm 
CODE: SPPV43051 WET FLOOR TOOL Ø38 mm 	CODE: SPPV00156 FLAT LANCE Ø38 mm 	CODE: SPPV43052 ROUND BRUSH Ø38 mm 	CODE: MPVR43049 ADAPTER 	

OPTIONAL ACCESSORIES

CODE: FTDP28862 PAPER BAG 	CODE: KTRI02912 PAPER BAG SET OF 10 PCS  X10	CODE: FTDP00608 MICROFIBER BAG 	CODE: KTRI04796 MICROFIBER BAG SET OF 10 PCS  X10	CODE: FTDP00223 PREFILTER PCB 
CODE: FTDP00528 PAPER CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP00583 WASHABLE CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: FTDP28844 HEPA H13 CARTRIDGE (AVAILABLE AS SPARE PART) 	CODE: MPVR28723 FASTENING PLASTIC RING (AVAILABLE AS SPARE PART) 	CODE: FTDP28755 MESH FILTER 
CODE: FTDP00654 WASHABLE CARTRIDGE KIT W/RING AND GASKET 	CODE: FTDP00657 HEPA CARTRIDGE KIT W/ RING AND GASKET 	CODE: FTDP00659 PAPER CARTRIDGE KIT W/ RING AND GASKET 	CODE: SPPV01336 CARPET BRUSH Ø38 mm 	CODE: MPVR10391 OPTIONAL TOOL HOLDER 
CODE: SPPV30894 FIXED ACCESSORY FOR DUST AND LIQUID 	CODE: SPPV28247 FIXED ACCESSORY FOR DUST 	CODE: SPPV28248 FIXED ACCESSORY FOR LIQUID 	CODE: KTRI02735 CONDUCTIVE TOOL KIT Ø38 mm (FOR STEEL TANK MODEL) 	CODE: SPPV37133 BRISTLE BRUSH Ø38 mm 



SPECIAL & INDUSTRIAL SOLUTIONS

INNOVATIONS 54

EXCLUSIVE CHARACTERISTICS 55

SP W 2 62 P SUB 56

SP D 1 41 S VOLCAN 58

SP D 2 62 S CL H 60

SP D TRI 60 S GA 62



HIGH TEMPERATURE PROOF

NO CLEANING DOWNTIME

Oven bottoms and sides are often encrusted with grease and baked food. Bakery owners and sanitizing companies are tasked with finding the best ways to both clean and remove loose debris, preventing industrial ovens from wearing and at the same time keeping the best cooking performances while baking the highest quality products.

Our R&D technicians have selected a number of solutions:

- Aluminium motor bases instead of plastic ones;
- Innovative blend for powerhead base tested to resist at contact with hot materials
- HEPA filter, ideal for fine dust and ashes
- Cloth filter and Metal Flexible hose tested up to 200°C
- Safety handgrip to increase burn protection
- Extendible tubes ideal for deep ovens cleaning
- Special heat-resistant nozzle



BENEFITS

- 01 Heat-resistant accessories and filters allow you to clean ovens without waiting for them to cool
- 02 A more effective and hygienic cleaning system in comparison with the traditional scraping with brushes or wet rags
- 03 Excellent manoeuvrability in restricted areas



SUBMERSIBLE PUMP



FOR WET WASTE AND FLOODED AREAS

Sub models are equipped with a powerful integrated submersible pump, which makes this a unique and versatile product line, particularly useful for draining flooded areas, emptying tanks and emergency services.

BENEFITS

01
Thanks to the submersible pump the operator can vacuum and empty the tank simultaneously

02
With 750 W of power, the stainless steel pump pumps out liquids at a considerable speed over long distances up to 11.5 metres



SQUEEGEE KIT



HIGH EFFICIENCY RECOVERY LIQUIDS

The squeegee kit is a front tool which can be used to increase the machine performance by recovering liquids on wide surfaces.

BENEFITS

01
Easy and quick to install

02
Plastic blades easy to replace, thanks to the quick coupling system

03
Resistant to chemical agents

04
Up/down pedal support



H FILTER CLASSIFICATION



HIGH HAZARD RECOVERY

Certified by notified laboratories, H-Class [99,99% dust containment] filtration is set on our dust extractors and tested entirely as an assembled filter unit, instead of testing cartridges only. Integrated alarm system which prevents filter overpressure.

BENEFITS

01
For toxic dust

member of **IPC**

SP W 2 62 P SUB

ASDO40044

POWER MAX

2400
W

WATER LIFT

2470
mmH₂O

AIRFLOW

420
m³/h

TANK CAPACITY

62
l

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ SUBMERSIBLE PUMP



MOST FREQUENTLY USE



SPECS



PROFESSIONAL SUBMERSIBLE PUMP



WATER FLOW VALVE



ELECTRIC POWER SOCKET ON BOARD

TECHNICAL DATA

		SP W 2 62 P SUB
Code		ASDO40044
PERFORMANCE		
Usage		WET
Motor		2
Power	W	2400
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	420
Tank Capacity	l	62
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
Pump type		Plastic
Pump power	W	370
Pump capacity	l/min	180
Delivery head	m	7
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	450 x 500 x 940
Weight	kg	26

STANDARD EQUIPMENT

CODE: TBFX28237
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: MPVR43047
HANDLE WITH AIR
REGULATOR Ø38 mm



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBE 50 cm Ø36 mm
(2 PCS INCLUDED)



CODE: SPPV43051
WET TOOL Ø38 mm



OPTIONAL ACCESSORIES

CODE: TBBP00719
ANTIFREEZE HOSE 5 m
Ø30 mm



CODE: FSVR00129
HOSE CLAMP 30X45



To connect to water flow valve



OPTIONAL SQUEEGEE KIT

CODE: KTRI05342

**INCREASE PRODUCTIVITY
RECOVERING LIQUIDS ON WIDE
SURFACES.**



EASY TO ASSEMBLY
Check out the tutorial
video to know more!

member of **IPC**

SP D 1 41 S VOLCAN

ASDO40045

POWER MAX

1600

W

WATER LIFT

2795

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

41

l



EXCLUSIVE CHARACTERISTICS

- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE

MOST FREQUENTLY USE

HORECA



AGRICULTURE



HARDWARE CUSTOMER



INNOVATIONS



HIGH TEMPERATURE PROOF

SPECS



HEAD WITH SELF-EXTINGUISHING PLASTIC BASE



SPECIAL HEAT RESISTANT FILTER IN META-ARAMID FABRIC RESISTANT TO HIGH TEMPERATURE



EQUIPPED WITH ALUMINIUM INLET TO GUARANTEE CONDUCTIVITY AND DISCHARGE OF STATIC ELECTRICITY

TECHNICAL DATA

SP D 1 41 S VOLCAN

Code	ASD040045	
PERFORMANCE		
Usage	DRY	
Motor	1	
Power	W	1600
Voltage	V	220-240
Waterlift	mmH ₂ O	2795
Airflow	m ³ /h	210
Tank Capacity	l	41
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72
Diameter of inlet	mm	60
Dimensions (LxWxH)	mm	390 x 390 x 900
Weight	kg	18,5

STANDARD EQUIPMENT

CODE: KTRI03006
HIGH TEMPERATURE
FILTER



CODE: FTDP00293
HEPA H13 CARTRIDGE



KTRI02916 OVEN CLEANING TOOL KIT RESISTANT UP TO 120°C Ø38 MM COMPOSED OF:

CODE: TBFX49527
EPDM FLEXIBLE HOSE



CODE: TBFX72241
EXTENSION 1 m



CODE: SPPV01750
OVEN CLEANING BRUSH
WITH HOT RESISTANT
SQUEEGEE



OPTIONAL ACCESSORIES

KTRI02917 OVEN CLEANING TOOL KIT RESISTANT UP TO 200°C Ø38 MM COMPOSED OF:

CODE: TBFX00920
METAL FLEXIBLE HOSE



CODE: PMVR03589
HANDLE EXTENSION 1,5 m
PROTECTED



CODE: TBFX72241
EXTENSION 1 m



CODE: SPPV01750
OVEN CLEANING BRUSH
WITH HOT RESISTANT
SQUEEGEE



PMDT00954 CONDUCTIVE ACCESSORIES KIT Ø36 MM COMPOSED OF:

CODE: TBFX01147
CONDUCTIVE FLEXIBLE
HOSE 2 m



CODE: MPVR07367
CONDUCTIVE PLASTIC
TUBE ESD 2X50 cm



CODE: MPVR07366
CONDUCTIVE PLASTIC
WAND WITH AIR
REGULATOR ESD



CODE: SPPV01685
CONDUCTIVE DUST FLOOR
TOOL ESD



CODE: SPPV01687
CONDUCTIVE FLAT LANCE
ESD



CODE: SPPV01688
CONDUCTIVE ROUND
BRUSH ESD



CODE: SPPV01686
CONDUCTIVE SMALL TOOL
ESD



member of **IPC**

SP D 2 62 S CL H

ASDO40046

POWER MAX

2400
W

WATER LIFT

2495
mmH₂O

AIRFLOW

430
m³/h

TANK CAPACITY

62
l



EXCLUSIVE CHARACTERISTICS

- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ COMPLIANCE WITH CLASS H CERTIFICATION
- ▶ HEPA H13 CARTRIDGE
- ▶ TOTAL FILTRATION

MOST FREQUENTLY USE



SPECS



EQUIPPED WITH STANDARD HEPA CARTRIDGE FIXED TO THE HEAD WITH A SPECIAL METAL CLIP



FULL BAG INDICATOR



TROLLEY WITH LARGE-DIAMETER SWIVELLING WHEELS WITH TYRES FOR EASY MANOEUVRING

TECHNICAL DATA

		SP D 2 62 S CLH
Code		ASDO40046
PERFORMANCE		
Usage		DRY
Motor		2
Power	W	2400
Voltage	V	220-240
Waterlift	mmH ₂ O	2495
Airflow	m ³ /h	430
Tank Capacity	l	62
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	520 x 520 x 960
Weight	kg	18,5

STANDARD EQUIPMENT

CODE: FTDP40006
HEPA H13 CARTRIDGE



CODE: FTDP40008
NON-WOVEN BAG WITH
SAFETY VALVE



CODE: TBFX28237
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: MPVR43047
HANDLE WITH AIR
REGULATOR Ø38 mm



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBE 50 cm Ø36 mm (2
PCS INCLUDED)



CODE: SPPV43050
DUST TOOL Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: SPPV43052
ROUND BRUSH Ø38 mm



CODE: MPVR43049
ADAPTER



CODICE: RCVR00936
COMPLETE CAP FOR INLET
(FOR SAFE DISPOSAL)



member of **IPC**

SP D TRI 60 S GA

ASID40001

POWER MAX

3000
W

WATER LIFT

2100
mmH₂O

AIRFLOW

350
m³/h

TANK CAPACITY

60
l



EXCLUSIVE CHARACTERISTICS

- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART
- ▶ MULTI STAGE FILTRATION
- ▶ TURBINE WITH PERFECT PERFORMANCE
- ▶ THREE-PHASE

MOST FREQUENTLY USE

INDUSTRY

- ▶ CLEANING OF INDUSTRIAL WAREHOUSES
- ▶ CLEANING OF TECHNICAL AREAS
- ▶ CLEANING OF WORKING AREAS

SPECS



EQUIPPED WITH STANDARD CARTRIDGE FIXED TO THE HEAD



EQUIPPED WITH SILENCER



EQUIPPED WITH HANDLE FOR EASY MANOEUVRING

TECHNICAL DATA

		SP D TRI 60 S GA
Code		ASID40001
PERFORMANCE		
Usage		DRY
Turbine		1
Power	W	3000
Voltage	V	400
Waterlift	mmH ₂ O	2100
Airflow	m ³ /h	350
Tank Capacity	l	60
Cable length	m	8,5
Sound Pressure Level	dB(A)	77
Diameter of inlet	mm	60
Dimensions (LxWxH)	mm	1200 x 590 x 960
Weight	kg	75

STANDARD EQUIPMENT

CODE: KTRI03113
FILTERING KIT (6630 cm²)



CODE: FTDP00528
CARTRIDGE FILTER
(3000 cm²)



CODE: TBFX37775
FLEXIBLE HOSE Ø38/60
WITH CUFFS 4,5 m



CODE: SPPV00156
FLAT LANCE Ø38 mm
(2 PCS INCLUDED)



CODE: SPPV43052
ROUND BRUSH Ø38 mm



OPTIONAL ACCESSORIES

CODE: TBFX49517
ANTISTATIC ANTI-ABRASION
RUBBER HOSE Ø50/60
WITH CUFFS 3 m



CODE: TBFX49515
ANTISTATIC HEAT-ABRASION
RUBBER HOSE Ø50/60
WITH CUFFS 3 m



CODE: TBFX49513
ANTISTATIC RUBBER HOSE
FOR FOODSTAFFS Ø50/60
WITH CUFFS 3 m



CODE: TBFX49521
ANTISTATIC HOSE IN PU
FOR FOODSTAFFS Ø50/60
WITH CUFFS 3 m



BASIC TOOL KIT FOR INLET Ø60 MM - PMDT00443

CODE: TBFX01027
FLEXIBLE HOSE Ø50-60
WITH CUFFS 3 m



CODE: LAFN49581
COMPLETE ALUMINIUM
DOUBLE WAND Ø50 mm



CODE: SPPV01960
BRISTLE BRUSH Ø50 mm



CODE: SPPV49600
CHROMED FLAT LANCE
Ø50 mm



CODE: MPVR40232
SQUEEGEE
(2 PCS INCLUDED)



ANTI-STATIC TOOL KIT FOR INLET Ø60 MM - PMDT00436

CODE: TBFX00931
CONDUCTIVE FLEXIBLE
HOSE Ø50-60 mm WITH
CUFFS 3 m



CODE: LAFN49581
COMPLETE ALUMINIUM
DOUBLE WAND Ø50 mm



CODE: SPPV01960
BRISTLE BRUSH Ø50 mm



CODE: SPPV49597
RUBBER FLAT LANCE
Ø50 mm



IP Cleaning Srl

Viale Treviso 63
30026 Summaga di Portogruaro (VE) - Italy

Tel. +39 0421 205511 - Fax +39 0421 204227
info@ipcworldwide.com - www.ipcworldwide.com



